

## NORMES ET FRAIS TECHNIQUES DES ENCARTS 2012

20/01/12

Quantité minimum pour une opération : 5000 exemplaires  
SPLIT RUN : 5 visuels maximum

### FRAIS TECHNIQUES

Tarifs au 1000

#### ENCARTS BROCHES

sur régions complètes

|          |                |
|----------|----------------|
| Central  | 5,50 €         |
| A cheval | nous consulter |
| Prépiqué | nous consulter |

#### ENCARTS COLLES SUR UNE PAGE DE PUBLICITE RECTO

sur régions complètes

|                        |         |
|------------------------|---------|
| Carte                  | 20,00 € |
| Echantillon ou booklet | 30,00 € |

#### ENCARTS POSES sur 4e de couverture et mise s/film sur ABONNES

sur départements ou aléatoire

|         |         |
|---------|---------|
| 2 pages | 15,00 € |
| Au-delà | 15,00 € |

#### ENCARTS POSES sur 4e de couverture et mise s/film sur KIOSQUES

sur régions complètes

|              |                |
|--------------|----------------|
| 2 pages et + | nous consulter |
|--------------|----------------|

#### ENCART VOLANT JETE INTERIEUR sur ex. KIOSQUES

sur régions complètes

|   |                |
|---|----------------|
| 2 pages jeté (en cours de brochage)     | 16,00 €        |
| 4 pages et + jeté (dans revue façonnée) | nous consulter |

### FRAIS POSTAUX jusqu'au 01/07/2012

#### "Tarif Presse" ou Surcoût d'affranchissement (PT2)

|                                |        |
|--------------------------------|--------|
| (le millier d'abonnés x poids) | 1,05 € |
|--------------------------------|--------|

#### Tarif Presse+ ou Surtaxe postale (PTT) - \*attention, tarifs postaux majorés sur parutions à partir du 1er mars 2011

|   |         |
|---|---------|
| Forfait jusqu'à 15 g (le millier d'abonnés) | 31,00 € |
| > à 15g (le millier d'abonnés x poids)      | 2,06 €  |

Tout encart sous forme de pli fermé doit avoir la mention suivante : "Peut être ouvert pour contrôle" ou "Envoi non clos"  
Sans cette mention, cet encart sera soumis au tarif "PRESSE+"

Les frais postaux seront facturés sur le poids réel de l'encart et la tarification de l'année de parution.

Tarification postale : [http://www.lagardere-pub.com/info/documents/presse/tarifications\\_postales.pdf](http://www.lagardere-pub.com/info/documents/presse/tarifications_postales.pdf)

## NORMES TECHNIQUES

**Format du magazine :** 230 x 287 mm (L X H)

**DOS PIQUÉ - taqué en tête**

**ATTENTION TOUTE FABRICATION EN PLS ACCORDÉON EST REFUSÉE**

GRAMMAGE PAPIER : [http://www.lagardere-pub.com/info/documents/presse/grammage\\_papier.pdf](http://www.lagardere-pub.com/info/documents/presse/grammage_papier.pdf)

Ce titre est imprimé sur papier PEFC. Nous souhaitons que les encarts soient imprimés sur papier certifié, non controversé (PEFC-FSC)

QUANTITE A LIVRER : TIRAGE + 2% de passe impératif

NORMES DE CONDITIONNEMENT : [http://www.lagardere-pub.com/info/documents/presse/normes\\_de\\_conditionnement.pdf](http://www.lagardere-pub.com/info/documents/presse/normes_de_conditionnement.pdf)

*Merci de nous consulter pour toute autre demande ne répondant pas aux contraintes ci-dessous*

| ENCARTS BROCHES | FORMAT (L x H) |           |
|-----------------|----------------|-----------|
|                 | MINI           | MAXI      |
| Central         | 110 x 150      | 230 x 287 |

Attention, vos textes et partie sensible d'image doivent être en retrait de 10 mm

FORMAT MINI : + 3 mm de rogne en tête

FORMAT MAXI : + 3 mm de rogne en tête + 5 mm de rogne en pied et en barbe

**Les encarts 2 pages doivent être fournis pliés avec un rabat technique non imprimé de 110 mm**

**Les encarts à partir de 8 pages doivent être tenus en tête ou comporter un dépassant de 10 mm sur la partie arrière**

| ENCARTS COLLES         | FORMAT (L x H) |           |
|------------------------|----------------|-----------|
|                        | MINI           | MAXI      |
| Carte                  | 60 x 80        | 120 x 150 |
| Echantillon ou booklet | "              | "         |

ZONE DE TOLERANCE : 10 mm dans les deux sens - POIDS MAXI : 25 g - EPAISSEUR MAXI : 2 mm

• Ne pas faire figurer d'hirondelles de placement sur les fichiers de la page pour impression.

• Les échantillons seront soumis à un essai de collage + un test de pression préalables sur 50 exemplaires minimum, au plus tard 6 semaines avant parution.

ZONE DE COLLAGE : voir ci-après

| ENCARTS POSES sur 4e de couverture et mise s/film | FORMAT (L x H) |           |
|---|----------------|-----------|
|   | MINI           | MAXI      |
| 2 pages et +                                      | 110 x 110      | 230 x 287 |

| ENCARTS JETES INTERIEUR sur ex. KIOSQUES      | FORMAT (L x H) |           |
|---|----------------|-----------|
|   | MINI           | MAXI      |
| 2 pages (jeté intérieur en cours de brochage) | 110 x 150      | 170 x 250 |

grammage papier : 120 g/m2 au minimum pour un 2 pages


### IMPERATIFS TECHNIQUES A RESPECTER POUR TOUTES OPERATIONS D'ENCARTAGE

- 2 maquettes en blanc réalisées au format et qualité de papier choisis, pour accord technique au plus tard 6 semaines avant parution.
- Envoi d'un PDF du visuel de l'encart ou de l'emplacement du collage pour validation technique au plus tard 5 semaines avant parution.  
Aucune contestation ne pourra être prise en considération si ces conditions ne sont pas respectées.

**En raison des impératifs inhérents à l'exécution du façonnage industriel, l'encartage est garanti à hauteur de 97 % du tirage, cette tolérance de 3% est déduite de nos tarifs.**

### CONTACT

LAGARDERE PUBLICITE - SERVICE ENCARTS  
10 rue Thierry le Luron - 92592 LEVALLOIS PERRET  
Nathalie Marchandise - T. 01 41 34 81 48 - [encarts@lagardere-pub.com](mailto:encarts@lagardere-pub.com)



ZONE DE COLLAGE



ZONE DE COLLAGE ECHANTILLONS EPAIS  
(Pas de collage au centre de la page)

- Tolérance de collage : 10 mm dans les deux sens
- Ne pas imprimer de filets de placement sur le visuel recevant le collage
- Si échantillons noir au V°, nous consulter
- 50 ex seront nécessaires pour effectuer des tests

## TECHNICAL SPECIFICATIONS FOR INSERTS 2012

Minimum quantity for an operation: 5000 copies  
SPLIT RUN : Maximum 5 visuals

### TECHNICAL COSTS

Rates per 1000

#### BOUND INSERT on complete regions

|                     |                |
|---------------------|----------------|
| Central             | 5,50 €         |
| Overlapped Insert   | nous consulter |
| Pre-stitched Insert | nous consulter |

#### INSERT GLUED ONTO A RHP ADVERT on complete regions

|                   |         |
|-------------------|---------|
| Card              | 20,00 € |
| Sample or booklet | 30,00 € |

#### INSERT ON OBC, POLYBAGGED for subscribers on departements or random

|                   |         |
|-------------------|---------|
| 2 Pages           | 15,00 € |
| More than 2 pages | 15,00 € |

#### INSERT ON OBC, POLYBAGGED for newsstands on complete regions

|                 |                |
|-----------------|----------------|
| 2 pages or more | nous consulter |
|-----------------|----------------|

#### LOOSE INSERT put inside in an unspecified place, for newsstands on complete regions

|   |                |
|---|----------------|
| 2 loose pages (inserted at the time of binding)           | 16,00 €        |
| 4 loose pages or more (inserted in the finished magazine) | nous consulter |

### POSTAL COSTS until July 1st

#### "Press Rates" or extra posting costs (PT2)

|   |        |
|---|--------|
| (price x per thousand subscribers x weight) | 1,05 € |
|---|--------|

#### "Press Rates +" or Postal surcharges (PTT) - \*Will be re-evaluated and applicable on the 1st of March 2011

|   |         |
|---|---------|
| Fixed rate up to 15g (price x per thousand subscribers) | 31,00 € |
| > 15g (price x per thousand subscribers x weight)       | 2,06 €  |

Every closed fold insert must have the following message : "Peut être ouvert pour contrôle" or "Envoi non clos"  
Without this message, this insert will be subject to the "PRESSE+" rate.

**Postal charges will be invoiced depending on the real weight of the insert and the postage fees relative to the publication year.**

Postal Charges : [http://www.lagardere-pub.com/info/documents/presse/tarifications\\_postales.pdf](http://www.lagardere-pub.com/info/documents/presse/tarifications_postales.pdf)

**Magazine format :** 230 x 287 mm (W x H)

**SADDLE STITCHED - jog to the head**

**ATTENTION ALL MANUFACTURING FOLDED INTO PLEATS WILL NOT BE ACCEPTED**

PAPER WEIGHT : [http://www.lagardere-pub.com/info/documents/presse/grammage\\_papier.pdf](http://www.lagardere-pub.com/info/documents/presse/grammage_papier.pdf)

This magazine is printed on PEFC paper. We would like the inserts to be printed on certified paper, non-controversial ( PEFC-FSC)

DELIVERY AMOUNT : PRINT RUN + 2% of waste

Packaging instructions : [http://www.lagardere-pub.com/info/documents/presse/normes\\_de\\_conditionnement.pdf](http://www.lagardere-pub.com/info/documents/presse/normes_de_conditionnement.pdf)

*Please contact us regarding any other requests that are not answered by the information below*

| BOUND INSERT | FORMAT (W x H) |           |
|--------------|----------------|-----------|
|              | MINI           | MAXI      |
| Central      | 110 x 150      | 230 x 287 |

Attention, your texts and images should be left no nearer than 10mm from the trim edge

MINIMUM FORMAT : + 3 mm of top bleed

MAXIMUM FORMAT : + 3 mm of top bleed, + 5 mm of bottom bleed and foredge bleed.

**Inserts of 2 pages must be provided with an unprinted technical flap of 110 mm**

**inserts from 8 pages must be submitted with a closed head or with an excess of 10 mm to the back**

| GLUED INSERTS     | FORMAT (W x H) |           |
|-------------------|----------------|-----------|
|                   | MINI           | MAXI      |
| Card              | 60 x 80        | 120 x 150 |
| Sample or Booklet | "              | "         |

ACCEPTED LIMITS : 10 mm in both directions - MAXIMUM WEIGHT : 25 g - MAXIMUM THICKNESS : 2 mm

• Do not include any registration marks (for the insert placement) in the file that will be printed.

• The samples will be subjected to a tip-on test and preliminary pressure-testing on a minimum of 50 samples, no later than 6 weeks before publication.

Gluing Limits, see below

| INSERT ON OBC, POLYBAGGED | FORMAT (W x H) |           |
|---------------------------|----------------|-----------|
|                           | MINI           | MAXI      |
| 2 pages or more           | 110 x 110      | 230 x 287 |

| LOOSE INSERT put inside in an unspecified place, for newsstands | FORMAT (W x H) |           |
|---|----------------|-----------|
|   | MINI           | MAXI      |
| 2 loose pages inserted at the time of binding                   | 110 x 150      | 170 x 250 |

paper weight : 120 g/m2 minimum for an insert of 2 pages

#### REQUIRED TECHNICAL DOCUMENTS:


- 2 white dummies in the chosen format and quality of paper, for technical approval
- A visual PDF file of the insert or of its positioning must be sent for technical validation no later than 5 weeks before publication.

If these conditions are not met, no contestation will be taken into account.

**Owing to the necessity inherent in the execution of industrial finishing, the inserting is guaranteed to the level of 97% of the Print run, this tolerance of 3% is deducted from our prices.**

#### CONTACT

LAGARDERE PUBLICITE - SERVICE ENCARTS  
 10 rue Thierry le Luron - 92592 LEVALLOIS PERRET  
 Nathalie Marchandise - T. 01 41 34 81 48 - [encarts@lagardere-pub.com](mailto:encarts@lagardere-pub.com)



GLUING ZONE



GLUING ZONE FOR THICK SAMPLE  
(No glued inserts in the center of the page)

- Gluing limits : 10 mm in both directions
- Do not print hairline rules (defining placement) on the final visual.
- If the samples have a black back then please consult us.
- 50 samples are required for performing the tests.